



# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : STARBRITE ULTIMATE ALUMINUM POLISH

Product code : 876XX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. Boat maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite Europe Inc.

86 bis route de Brignais 69630 Chaponost, France

Telephone : +33-478-56-77-80 Fax : +33-472-39-97-96

E-mail : jp.kitzinger@starbrite-europe.com

Website : www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

FR - Telephone : +33-478-56-77-80 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Not classified as dangerous according to Regulation (EC) No 1272/2008.

(1272/2008/EC)

Human health hazards : Low hazard for usual industrial or commercial handling. Contains petroleum distillates, may be

harmful when ingested.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

Other information : Keep out of the reach of children.

2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms: None.

Signal word : Not applicable.

H- and P-phrases : None.

Additional labelling: none.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Product name : Starbrite Ultimate Aluminum Polish Page 1/7
Date of issue : 24-07-2014 Replaces issue dated : --- INFO CARE SDS



# SAFETY DATA SHEET

# According to Regulation (EU) No 453/2010

### Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Distillates (petroleum), hydrotreated	1 - < 5	64742-47-8	265-149-8		
light					

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms	
Distillates (petroleum), hydrotreated	Asp. Tox. 1	H304	GHS08	
light				

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries

up.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if

irritation persists.

Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to

an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.
Skin contact : Repeated exposure may cause skin dryness or cracking.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and

lack of breath.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : None known.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

# 5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

Product name : Starbrite Ultimate Aluminum Polish Page 2/7

Date of issue : 24-07-2014 Replaces issue dated : --- INFO CARE SDS





### SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections: See also section 8.

### SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Do not breathe vapour. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended

packaging

: Steel (except stainless steel). PE and PP.

# 7.3. Specific end use(s)

Use : Use only as directed.

# SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

### Workplace exposure limits (mg/m³):

Chemical name		1	STEL 15 min (ma/m3)	Comments
Distillates (petroleum), hydrotreated		1200	1 3 -7	CEFIC-HSPA
light				

### 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

Product name : Starbrite Ultimate Aluminum Polish Page 3/7

Date of issue : 24-07-2014 Replaces issue dated : --- INFO CARE SDS



# SAFETY DATA SHEET

According to Regulation (EU) No 453/2010

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. Respiratory protection: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection Wear appropriate safety glasses when there is danger of possible eve contact.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance : Liquid. Colour Cream. Odour Perfumed. Odour threshold Not known.

рΗ 6.7

Solubility in water Emulsifiable. Partition coefficient Not applicable.

(n-octanol/water)

: > 100 °C Flash point

Flammability (solid, gas) Not applicable. Liquid. See flashpoint.

: > 230 °C Auto ignition temperature 100 °C Boiling point/boiling range Melting point/melting range: 0°C

Explosive properties None known. Does not contain explosives.

Lower explosion limit in air (%): 0,6 ( Distillates (petroleum), hydrotreated Explosion limits (% in air) Not known.

Upper explosion limit in air (%): 7

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable. Viscosity (20°C) Not known.

Viscosity (40°C) Not relevant.

The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : Not known.

Vapour density (20°C) (air = 1): > 1

Relative density (20°C) : 1.02 g/ml

Evaporation rate : Not known. (n-butyl acetate = 1)

#### **SECTION 10** STABILITY AND REACTIVITY

# 10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

: No other hazardous reactions known. Reactivity

10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Product name : Starbrite Ultimate Aluminum Polish Page 4/7

Date of issue : 24-07-2014 **INFO CARE SDS** Replaces issue dated





Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

### SECTION 11 TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity: Calculated LC50: 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met. After

ingestion, at vomiting, risk of aspiration in the lungs.

Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea. Not classified - based on

available data, the classification criteria are not met.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

# SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 63 mg/l. Calculated EC50 (waterflea): 12023 mg/l. Contains < 1 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability: No specific information known.

### 12.3. Bioaccumulative potential

Product name : Starbrite Ultimate Aluminum Polish Page 5/7
Date of issue : 24-07-2014 Replaces issue dated : --- INFO CARE SDS





Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

### SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as chemical waste. Dispose waste to an official chemical

waste depot.

Additional warning : None.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

### SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID (road / railway)

Class : This product is not classified according to ADR/RID.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

# SECTION 15 REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Product name : Starbrite Ultimate Aluminum Polish Page 6/7

Date of issue : 24-07-2014 Replaces issue dated : --- INFO CARE SDS





Community regulations : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations

: This product need not be classified under statutory EC-regulations.

### 15.2. Chemical safety assessment

Chemical safety : No

assessment

: Not applicable.

# SECTION 16 OTHER INFORMATION

## 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

Full text of H-phrases mentioned in section 3:

H304 May be fatal if swallowed and enters airways.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

EU : European Union

IATA : International Air Transport Association

IBC : Intermediate Bulk Container
IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Number format : "," used as decimal separator.

**History** 

Date of first issue : 24-07-2014

Product name : Starbrite Ultimate Aluminum Polish Page 7/7

Date of issue : 24-07-2014 Replaces issue dated : --- INFO CARE SDS